


2 BUILDING AXON - WEST
Scale:



1 BUILDING AXON - EAST
Scale:



CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2


MASTER PLAN - SITE WALLS

A0.04

PROJECT NO. 1703

GENERAL NOTES	
1	TOP OF CONCRETE SLAB ELEVATION 0'-0" = 875'-6"
2	SEE SHEET G0.40 FOR WALL & PARTITION TYPES
3	SEE SHEET A6.00 FOR WINDOW AND DOOR TYPE SCHEDULES
4	ALL DIMENSIONS ARE TO STRUCTURAL GRID OR FACE OF FINISH UNLESS NOTED OTHERWISE
5	ALL WINDOW AND DOOR DIMENSIONS ARE REFERENCED TO THE C.L. OF UNIT. SEE SHEET A6.00 FOR ROUGH OPENING DIMENSIONS AND DETAIL CALLOUTS

KEYNOTES	
32.2	CONCRETE SITE WALL
32.4	C.I.P. CONCRETE PAVER
32.5	GRAVEL BED WITH STEEL EDGING




CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2


MASTER PLAN - I.S. PARKING COURT

A0.06

PROJECT NO. 1703




4 VEG. GARDEN WALL - EAST ELEVATION - INTERIOR
Scale: 1/4" = 1'-0"




3 VEG. GARDEN WALL - SOUTH ELEVATION - INTERIOR
Scale: 1/4" = 1'-0"




2 VEG. GARDEN WALL - WEST ELEVATION - INTERIOR
Scale: 1/4" = 1'-0"




1 VEG. GARDEN WALL - NORTH ELEVATION - INTERIOR
Scale: 1/4" = 1'-0"




3 I.S. PARKING COURT WALL - NORTH ELEVATION
Scale: 1/4" = 1'-0"



2 I.S. PARKING COURT WALL - WEST ELEVATION
Scale: 1/4" = 1'-0"




4 I.S. PARKING COURT WALL - EAST ELEVATION
Scale: 1/4" = 1'-0"




1 I.S. PARKING COURT WALL - SOUTH ELEVATION
Scale: 1/4" = 1'-0"


CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2
I.S. PARKING COURT SITE WALLS
A0.08
PROJECT NO. 1703




6 SECTION DETAIL - STANCHION
Scale: 6" = 1'-0"




7 PLAN DETAIL - CORNER OF RAILING
Scale: 6" = 1'-0"




5 SECTION DETAIL - CONCRETE STAIR AT STEP
Scale: 6" = 1'-0"




4 VEG. GARDEN STAIR - WEST ELEVATION
Scale: 1/2" = 1'-0"




3 VEG. GARDEN STAIR - SECTION
Scale: 1/2" = 1'-0"




2 VEG. GARDEN STAIR - NORTH ELEVATION
Scale: 1/2" = 1'-0"




1 VEG. GARDEN STAIR - PLAN
Scale: 1/2" = 1'-0"




8 SECTION DETAIL - SILL @ GARDEN GATE @ STAIR
Scale: 3" = 1'-0"




6 SECTION DETAIL - HEAD @ GARDEN GATE
Scale: 3" = 1'-0"




3 SECTION DETAIL - HEAD @ GARDEN FENCE
Scale: 3" = 1'-0"




7 FULCRUM LATCH @ STEEL DOOR
Scale: 3" = 1'-0"




5 SECTION DETAIL - SILL @ CHICKEN RUN
Scale: 3" = 1'-0"




2 SECTION DETAIL - SILL @ GARDEN FENCE
Scale: 3" = 1'-0"




4 PLAN DETAIL - JAMB @ GARDEN GATE
Scale: 3" = 1'-0"




1 PLAN DETAIL - STEEL FRAMING @ GARDEN FENCE
Scale: 3" = 1'-0"




6 ELEVATION - GATE @ VEGETABLE GARDEN
Scale: 3/4" = 1'-0"




4 SECTION DETAIL - GATE HEAD @ VEGETABLE GARDEN
Scale: 3" = 1'-0"



3 SECTION DETAIL - GATE SILL @ VEGETABLE GARDEN
Scale: 3" = 1'-0"



5 PLAN - GATE @ VEGETABLE GARDEN
Scale: 3/4" = 1'-0"



1 PLAN DETAIL - GATE @ VEGETABLE GARDEN
Scale: 3" = 1'-0"

CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2


VEGETABLE GARDEN GATE

A0.11

PROJECT NO. 1703

KEYNOTES	
03.3	EDGE OF CONCRETE WALL BELOW
06.2	WORK BENCH
06.5	WOOD SHELVES OVERHEAD
26.5	GROUND MOUNTED LIGHT FIXTURE
32.4	C.I.P. CONCRETE PAVER
32.5	GRAVEL BED WITH STEEL EDGING
32.6	C.I.P. CONCRETE STAIR
32.7	PERIMETER FENCE
32.8	OPERABLE GATE AT PERIMETER FENCE
32.9	C.I.P. CONCRETE RETAINING WALL

GENERAL NOTES	
1	TOP OF CONCRETE SLAB ELEVATION 0'-0" = 875'-6"
2	SEE SHEET G0.40 FOR WALL & PARTITION TYPES
3	SEE SHEET A6.00 FOR WINDOW AND DOOR TYPE SCHEDULES
4	ALL DIMENSIONS ARE TO STRUCTURAL GRID OR FACE OF FINISH UNLESS NOTED OTHERWISE
5	ALL WINDOW AND DOOR DIMENSIONS ARE REFERENCED TO THE C.L. OF UNIT. SEE SHEET A6.00 FOR ROUGH OPENING DIMENSIONS AND DETAIL CALLOUTS



CONSTRUCTION DOCUMENTS
SUBMITTAL, CP-2


FLOOR PLAN

A1.01

PROJECT NO. 1703

KEYNOTES	
05.4	STANDING SEAM METAL ROOFING
05.8	METAL GUTTER AT VALLEY; MATCH ROOFING
05.10	SHEET METAL RIDGE CAP; MATCH ROOFING
06.4	POLYCARBONATE WALL SYSTEM AT ROOF

GENERAL NOTES	
1	TOP OF CONCRETE SLAB ELEVATION 0'-0" = 875'-6"
2	SEE SHEET G0.40 FOR WALL & PARTITION TYPES
3	SEE SHEET A6.00 FOR WINDOW AND DOOR TYPE SCHEDULES
4	ALL DIMENSIONS ARE TO STRUCTURAL GRID OR FACE OF FINISH UNLESS NOTED OTHERWISE
5	ALL WINDOW AND DOOR DIMENSIONS ARE REFERENCED TO THE C.L. OF UNIT. SEE SHEET A6.00 FOR ROUGH OPENING DIMENSIONS AND DETAIL CALLOUTS



CONSTRUCTION DOCUMENTS
SUBMITTAL, CP-2


ROOF PLAN

A1.10

PROJECT NO. 1703

KEYNOTES	
48.1	SOLAR POWER SYSTEM BY OTHERS

GENERAL NOTES	
1	TOP OF CONCRETE SLAB ELEVATION 0'-0" = 878'-6"
2	SEE SHEET G0.40 FOR WALL & PARTITION TYPES
3	SEE SHEET A6.00 FOR WINDOW AND DOOR TYPE SCHEDULES
4	ALL DIMENSIONS ARE TO STRUCTURAL GRID OR FACE OF FINISH UNLESS NOTED OTHERWISE
5	ALL WINDOW AND DOOR DIMENSIONS ARE REFERENCED TO THE C.L. OF UNIT. SEE SHEET A6.00 FOR ROUGH OPENING DIMENSIONS AND DETAIL CALLOUTS



CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2


SOLAR PANEL LAYOUT

A1.11


PROJECT NO. 1703

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.

2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.



2 ELEVATION - EAST
Scale: 1/4" = 1'-0"



1 ELEVATION - WEST
Scale: 1/4" = 1'-0"

CONSTRUCTION DOCUMENTS
SUBMITTAL, CP-2


EXTERIOR ELEVATIONS

A2.01


PROJECT NO. 1703

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




2 ELEVATION - NORTH
Scale: 1/4" = 1'-0"




3 ELEVATION - SOUTH - SOLAR PAVILION
Scale: 1/4" = 1'-0"



1 ELEVATION - SOUTH
Scale: 1/4" = 1'-0"



2 BUILDING SECTION - EAST / WEST
Scale: 1/4" = 1'-0"



1 BUILDING SECTION - NORTH / SOUTH
Scale: 1/4" = 1'-0"

CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2

BUILDING SECTIONS

A3.01

PROJECT NO. 1703


FIXTURE KEY	
	LIGHT FIXTURE CEILING MOUNT
	LIGHT FIXTURE PENDANT
	GROUND MOUNTED LIGHT
	UPLIGHT AT POLYCARBONATE
	LIGHT FIXTURE WALL MOUNT
	LINEAR LIGHT FIXTURE
	LIGHT FIXTURE CONCEALED FROM VIEW

KEYNOTES	
06.4	POLYCARBONATE WALL SYSTEM AT ROOF
06.6	PLYWOOD DECKING OVERWOOD PURLINS SPANNING BETWEEN STRUCTURAL STEEL

GENERAL RCP NOTES	
1	SEE LIGHTING PLANS FOR SWITCHING DIAGRAM
2	SEE LIGHTING SCHEDULE FOR LIGHTING FIXTURE TYPES

CEILING MATERIAL KEY	
	FINISH PLYWOOD
	FINISH GYPSUM BOARD
	EXPOSED STRUCTURE
	POLYCARBONATE WALL SYSTEM

CEILING FIXTURE KEY	
	LF18 LIGHT FIXTURE EXPOSED TO VIEW
	LF4 LIGHT FIXTURE CONCEALED FROM VIEW
	EXIT SIGN
	SP EXPOSED SPRINKLER HEAD
	CONCEALED SPRINKLER HEAD
	EXHAUST FAN
	LINEAR DIFFUSER
	LINEAR DIFFUSER
	SIDEWALL LINEAR DIFFUSER
	ACCESS PANEL
	SUPPLY DIFFUSER
	RETURN GRILLE
	SMOKE ALARM
	FIRE ALARM
	OCCUPANCY SENSOR



CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2


REFLECTED CEILING PLAN

A4.01


PROJECT NO. 1703

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.

2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




2 WALL SECTION @ WEST FACADE AWNING WINDOW
Scale: 3/4" = 1'-0"




1 WALL SECTION @ NORTH FACADE OPERABLE WINDOWS
Scale: 3/4" = 1'-0"

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.



3 WALL SECTION @ WEST FACADE BARN DOOR
Scale: 3/4" = 1'-0"




2 WALL SECTION @ SOUTH FACADE BARN DOOR
Scale: 3/4" = 1'-0"




1 WALL SECTION @ SOUTH FACADE OPERABLE WINDOWS
Scale: 3/4" = 1'-0"

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




3 WALL SECTION @ BATHROOM N/S
Scale: 3/4" = 1'-0"



2 WALL SECTION @ BATHROOM E/W
Scale: 3/4" = 1'-0"



1 WALL SECTION @ SOUTH FACADE- RECESSED WALL
Scale: 3/4" = 1'-0"







2 WALL SECTION @ PAVILION WEST
Scale: 3/4" = 1'-0"



1 WALL SECTION @ PAVILION SOUTH
Scale: 3/4" = 1'-0"

WINDOW SCHEDULE						
WINDOW #	ROUGH OPENING		R.O. HEAD A.F.F.	HARDWARE SET	NOTES	
	WIDTH	HEIGHT				
WS-1	3'-4 1/2"	3'-8 1/2"	17'-1 3/4"		SCREENED WOOD WINDOW WITH AN OPERABLE T&G WOOD BOARD AWNING	
WS-2	1'-6"	1'-8"	7'-0 1/4"		SCREENED WOOD WINDOW WITH AN OPERABLE T&G WOOD BOARD SHUTTER	
WS-3	13'-4 1/2"	4'-11 1/4"	9'-8 1/4"		SCREENED WOOD WINDOW WITH AN OPERABLE T&G WOOD BOARD SHUTTER	
WS-4	11'-4 1/2"	6'-8 1/4"	9'-8 1/4"		SCREENED WOOD WINDOW WITH AN OPERABLE T&G WOOD BOARD SHUTTER	

SHUTTERS AND AWNINGS








FRAMES



DOOR & FRAME SCHEDULE									
DOOR #	ROUGH OPENING		PANEL THICKNESS	DOOR FINISH	FRAME MATERIAL	HARDWARE SET	COMMENTS		
	WIDTH	HEIGHT							
101A	3'-4"	9'-9"	2 1/4"	T&G WOOD BOARD; CEDAR	WOOD	---	T&G WOOD BOARD DOOR; CEDAR		
101B	8'-0"	9'-2 1/4"	2 1/4"	T&G WOOD BOARD; CEDAR	STEEL	---	T&G WOOD BOARD BARN DOOR; CEDAR		
101C	24'-0"	12'-0 1/4"	2 1/4"	T&G WOOD BOARD; CEDAR	STEEL	---	T&G WOOD BOARD BARN DOOR; CEDAR, WITH STEEL FRAME - 2 EQ LEAFS		
101D	3'-4"	7'-0 1/4"	2 1/4"	T&G WOOD BOARD; CEDAR	WOOD	---	T&G WOOD BOARD DOOR; CEDAR		
102A	3'-2"	7'-0 1/4"	2 1/4"	T&G WOOD BOARD; CEDAR	WOOD	---	T&G WOOD BOARD DOOR; CEDAR		

NOTE:
DOORS SHOULD BE INSTALLED WITH
A 16" OVERLAP. REF: 1/A6.51



101C
SOLID WOOD-BOARD BARN DOOR,
BYPASSING SLIDERS

101B
SOLID WOOD-BOARD BARN DOOR
SLIDER

102A
SOLID WOOD-BOARD DOOR
SINGLE LEAF; SWING

101D
SOLID WOOD-BOARD DOOR
SINGLE LEAF; SWING

101A
SOLID WOOD-BOARD DOOR
SINGLE LEAF; SWING

CONSTRUCTION
DOCUMENTS
SUBMITTAL, CP-2


WINDOW AND
DOOR TYPES

A6.00


PROJECT NO. 1703

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




6 SECTION DETAIL SCREENED AWNING - HEAD
 Scale: 6" = 1'-0"



5 SECTION DETAIL - SCREENED AWNING - SILL
 Scale: 6" = 1'-0"




4 PLAN DETAIL - SCREENED AWNING - JAMB
 Scale: 6" = 1'-0"



3 SECTION DETAIL - SKYLIGHT - HEAD
 Scale: 6" = 1'-0"






2 SECTION DETAIL - SKYLIGHT - SILL
 Scale: 6" = 1'-0"



1 PLAN DETAIL - SKYLIGHT - JAMB
 Scale: 6" = 1'-0"

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.

2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.



CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2


WINDOW DETAILS

A6.12


PROJECT NO. 1703

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




3 SECTION DETAIL - HEAD @ BATHROOM WINDOW
Scale: 6" = 1'-0"




2 SECTION DETAIL - SILL @ BATHROOM WINDOW
Scale: 6" = 1'-0"



1 PLAN DETAIL - JAMB @ BATHROOM WINDOW
Scale: 6" = 1'-0"




2 PLAN DETAIL - WOOD WINDOW SHUTTERS OPEN
Scale: 3" = 1'-0"



1 PLAN DETAIL - WOOD WINDOW SHUTTERS CLOSED
Scale: 3" = 1'-0"

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.

2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.



T&G WOOD BOARD SIDING; CEDAR
 FURRING SPACE
 AIR/MOISTURE BARRIER; AB-1
 SHEATHING; REF: STRUCTURAL
 GLASS-FIBER INSULATION; INS-2
 FINISH PLYWOOD; REF: SPECIFICATIONS FOR INTERIOR FINISH
 PLATE STEEL TRIM; MTL-2
 SHEET METAL FLASHING; MATCH METAL ROOFING

SLIDING DOOR HARDWARE
 6" X 1/4" STEEL PLATE; MTL-2
 T&G WOOD BOARD BARN DOOR; CEDAR
 PLATE STEEL FRAME BEYOND; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2

3 SECTION DETAIL - HEAD - BARN DOOR
 Scale: 6" = 1'-0"





PLATE STEEL KICKPLATE; MTL-2
 T&G WOOD BOARD BARN DOOR; CEDAR
 PLATE STEEL FRAME BEYOND; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2
 C.I.P. ARCHITECTURAL CONCRETE WALL BEYOND

BRASS ROLLER PINS THREADED INTO STEEL ANGLE (MTL-2) ATTACHED TO THE CONCRETE SLAB

GROUND FLOOR FIN. FL. EL. 0'

2 SECTION DETAIL - SILL - BARN DOOR
 Scale: 6" = 1'-0"



EDGE OF CONCRETE WALL BELOW

FINISH PLYWOOD; REF: SPECIFICATION FOR INTERIOR FINISH

GLASS-FIBER INSULATION; INS-2


PLATE STEEL FRAME; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2

SHEATHING; REF: STRUCTURAL
 AIR/MOISTURE BARRIER; AB-1
 FURRING SPACE
 T&G WOOD BOARD SIDING; CEDAR

EDGE OF CONCRETE SLAB BELOW
 T&G WOOD BOARD BARN DOOR; CEDAR

PLATE STEEL TRIM; MTL-2

1 PLAN DETAIL - JAMB @ BARN DOOR
 Scale: 6" = 1'-0"



T&G WOOD BOARD SIDING; CEDAR
 FURRING SPACE
 AIR/MOISTURE BARRIER; AB-1
 SHEATHING; REF: STRUCTURAL
 FINISH PLYWOOD; REF: SPECIFICATION FOR INTERIOR FINISH
 2X WOOD FRAME; CEDAR
 JOINT SEALANT; JS-3
 PLATE STEEL FRAME; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2
 SHEET METAL FLASHING; MATCH METAL ROOFING

PLATE STEEL FRAME BEYOND; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2
 T&G WOOD BOARD DOOR; CEDAR

7 SECTION DETAIL - HEAD @ DOOR 101D
 Scale: 6" = 1'-0"





PLATE STEEL FRAME BEYOND; MTL-2
 PLATE STEEL KICKPLATE; MTL-2
 T&G WOOD BOARD DOOR; CEDAR
 2X WOOD FRAME; CEDAR
 EDGE OF CONCRETE WALL BEYOND
 MORTISED BRUSH GASKET

6 SECTION DETAIL - SILL @ DOOR 101D
 Scale: 6" = 1'-0"




FINISH PLYWOOD; REF: SPECIFICATION FOR INTERIOR FINISH

GLASS-FIBER INSULATION; INS-2
 2X WOOD FRAME; CEDAR
 T&G WOOD BOARD DOOR; CEDAR
 PLATE STEEL FRAME; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2
 JOINT SEALANT; JS-3
 SHEATHING; REF: STRUCTURAL
 AIR/MOISTURE BARRIER; AB-1
 FURRING SPACE
 T&G WOOD BOARD SIDING; CEDAR

EDGE OF CONCRETE SLAB BELOW


5 PLAN DETAIL - JAMB @ DOOR 101D
 Scale: 6" = 1'-0"




4 PLAN DETAIL - JAMB AT CONCRETE @ DOOR 101D
 Scale: 6" = 1'-0"

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




6 PLAN DETAIL - JAMB @ WOOD BOARD TRANSOM
Scale: 6" = 1'-0"




3 SECTION DETAIL - HEAD - WOOD BOARD TRANSOM
Scale: 6" = 1'-0"




5 PLAN DETAIL - JAMB @ DOOR 101A
Scale: 6" = 1'-0"



2 SECTION DETAIL - HEAD - WOOD BOARD DOOR 101A
Scale: 6" = 1'-0"




4 PLAN DETAIL - JAMB AT CONCRETE @ DOOR 101A
Scale: 6" = 1'-0"




1 SECTION DETAIL - SILL - WOOD BOARD DOOR 101 A
Scale: 6" = 1'-0"

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




9 SECTION DETAIL - MOTOR BOX @ VALANCE
Scale: 3" = 1'-0"




6 SECTION DETAIL - TOP OF SOUTH EXT. WALL
Scale: 3" = 1'-0"




3 SECTION DETAIL - TOP OF NORTH EXT. WALL
Scale: 3" = 1'-0"




8 SECTION DETAIL - VALANCE BEYOND DOOR TRACK
Scale: 3" = 1'-0"




5 SECTION DETAIL - WOOD SIDING @ 2X4 WALL
Scale: 3" = 1'-0"




2 SECTION DETAIL - WOOD SIDING @ 2X8 WALL
Scale: 3" = 1'-0"



7 PLAN DETAIL - EXPANSION JOINT @ SITE WALL
Scale: 3" = 1'-0"




4 PLAN DETAIL - INT. FINISH AT STRUCTURE
Scale: 3" = 1'-0"




1 PLAN DETAIL - FRAMING @ NW CORNER
Scale: 3" = 1'-0"

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




2 SECTION DETAIL - IN GROUND LIGHT FIXTURE
Scale: 3" = 1'-0"




4 SECTION DETAIL - LIGHT FIXTURE @ SOLAR PAVILION
Scale: 3" = 1'-0"




5 SECTION DETAIL - ROOF RAKE @ SOLAR PAVILION
Scale: 3" = 1'-0"




6 PLAN DETAIL - CONNECTION @ DOWNSPOUT
Scale: 3" = 1'-0"



1 SECTION DETAIL - STEEL SHROUD @ EXHAUST
Scale: 3" = 1'-0"




3 SECTION DETAIL - STRUCTURE @ SOLAR PAVILION
Scale: 3" = 1'-0"




1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.

2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




2 STEEL TRIM @ GUTTER
Scale: 3" = 1'-0"


1 DOWNSPOUT @ VALLEY GUTTER
Scale: 3" = 1'-0"




3 DETAIL SECTION - HOSE BIB
Scale: 3" = 1'-0"




2 SECTION DETAIL - LIGHT FIXTURE AT TRANSOM
Scale: 3" = 1'-0"




1 SECTION DETAIL - LIGHT AT GARDEN FENCE
Scale: 3" = 1'-0"




5 SECTION DETAIL - ROOF RAKE
Scale: 3" = 1'-0"



4 SECTION DETAIL - ROOF EDGE @ WEST SIDE OF VALLEY
Scale: 3" = 1'-0"




3 SECTION DETAIL - LEADER HEAD @ EAST END OF VALLEY
Scale: 3" = 1'-0"



1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.
2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.

2 SECTION DETAIL - ROOF RIDGE
Scale: 3" = 1'-0"



1 SECTION DETAIL - ROOF GUTTER
Scale: 3" = 1'-0"

- METAL RIDGE CAP; MATCH METAL ROOFING
- STANDING SEAM METAL ROOF BEYOND
- STANDING SEAM METAL ROOF
- VENTILATION GAP W/ 1X WOOD FURRING MEMBERS AS REQ'D
- MINERAL WOOL INSULATION; INS-3
- UNDERLAYMENT
- FINISH PLYWOOD DECKING; REF: STRUCTURAL; REF: SPECIFICATION FOR INTERIOR FINISH
- STEEL TRUSS; MTL-2; REF: STRUCTURAL
- WOOD PURLINS; REF: STRUCTURAL
- 3X3X1/4 STEEL ANGLE FRAME; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2
- JOINT SEALANT; JS-3
- POLYCARBONATE WALL SYSTEM AT ROOF
- SHEET METAL FRAME W/ BACK DAM; MATCH METAL ROOFING


- POLYCARBONATE WALL SYSTEM AT ROOF
- SHEET METAL FRAME W/ BACK DAM; MATCH METAL ROOFING
- 3-1/2 X 3-1/2 X 1/4 STEEL ANGLE FRAME; COUNTERSUNK FASTENERS @ 24" O.C. OR AS REQ'D; MTL-2

- STANDING SEAM METAL ROOF BEYOND
- STANDING SEAM METAL ROOF
- SHEET METAL FLASHING AT VALLEY; MATCH METAL ROOFING
- PLATE STEEL LEADER HEAD BEYOND; MTL-2
- VENTILATION GAP W/ 1X WOOD FURRING MEMBERS AS REQ'D
- MINERAL WOOL INSULATION; INS-3
- UNDERLAYMENT
- FINISH PLYWOOD DECKING; REF: STRUCTURAL; REF: SPECIFICATION FOR INTERIOR FINISH


- WOOD PURLINS; REF: STRUCTURAL
- STEEL TRUSS; MTL-2; REF: STRUCTURAL

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.

2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.



2 SHED - WEST
Scale: 3/8" = 1'-0"



1 SHED - EAST
Scale: 3/8" = 1'-0"

CONSTRUCTION DOCUMENTS SUBMITTAL, CP-2


INTERIOR ELEVATIONS

A7.01


PROJECT NO. 1703

1. ALL ARCHITECTURAL STEEL EXPOSED TO VIEW SHALL BE GROOVE OR PUDDLE WELDED AND GROUND SMOOTH FOR A SEAMLESS APPEARANCE, UNLESS OTHERWISE DETAILED OR APPROVED BY ARCHITECT.


2. PROVIDE, FABRICATE AND INSTALL CATEGORY 1 AND CATEGORY 2 ARCHITECTURAL EXPOSED STRUCTURAL STEEL (AESS) WHERE STRUCTURAL STEEL IS EXPOSED TO VIEW TO MEET THE DEFINITION OF THOSE CATEGORIES. REFER TO SPECIFICATIONS.




4 SHED - EAST - BATHROOM EXTERIOR
Scale: 3/8" = 1'-0"



2 SHED - SOUTH
Scale: 3/8" = 1'-0"





3 SHED - WEST - BATHROOM EXTERIOR
Scale: 3/8" = 1'-0"




1 SHED - NORTH
Scale: 3/8" = 1'-0"

- STEEL TRUSS, MTL-2; REF: STRUCTURAL
- WOOD PURLINS; REF: STRUCTURAL
- FINISH PLYWOOD DECKING; REF: STRUCTURAL; REF: SPECIFICATION FOR INTERIOR FINISH
- STEEL BEAM, MTL-2; REF: STRUCTURAL
- STEEL COLUMN, MTL-2; REF: STRUCTURAL
- 2" X 2" X 1/8" STEEL CHANNEL FRAME; MTL-2
- POLYCARBONATE WALL PANEL
- 6" X 1/4" STEEL PLATE; MTL-2
- FINISH PLYWOOD; REF: SPECIFICATION FOR INTERIOR FINISH
- T&G WOOD BOARD BARN DOOR; CEDAR
- FORMWORK PANEL JOINT
- COUNTERTOP
- ROLLING LADDER
- WORK BENCH
- POLYCARBONATE WALL SYSTEM AT ROOF
- STEEL TRUSS, MTL-2; REF: STRUCTURAL
- FINISH PLYWOOD DECKING; REF: STRUCTURAL; REF: SPECIFICATION FOR INTERIOR FINISH
- STEEL BEAM, MTL-2; REF: STRUCTURAL
- FINISH PLYWOOD; REF: SPECIFICATION FOR INTERIOR FINISH
- STEEL COLUMN, MTL-2; REF: STRUCTURAL
- FORMWORK PANEL JOINT
- ARCHITECTURAL C.I.P. CONCRETE WALL




5 SECTION DETAIL - FRAMING @ LF-1
 Scale: 3" = 1'-0"




3 SECTION DETAIL - PLYWOOD BOX @ LIGHT SWITCH
 Scale: 3" = 1'-0"

2 SECTION DETAIL - MILLWORK @ VALANCE
 Scale: 3" = 1'-0"



1 SECTION DETAIL - COUNTERTOP
 Scale: 3" = 1'-0"



4 SECTION DETAIL - BATHROOM SHELVING WALL
 Scale: 3" = 1'-0"